

ELEVATIONS		PENETROMETRIC TEST (BLOWS/cm)			SPT NUMBER OF BLOWS (FINAL 30cm)	INTERVALS (m)	PENETRATION RESISTANCE					LITHOLOGY	LAYER DEPTH (m)	CASING Ø 63,50mm SAMPLER: { Ø INTERNAL: 34,9 mm Ø OUTER: 50,8 mm WEIGHT: 65 Kg DROP HEIGHT : 75 cm LAYER CLASSIFICATION
WL	1st 15cm	2nd 15cm	3rd 15cm	TERZAGHI & PECK TYPE SAMPLER			LAST 30 cm							
					10	20	30	40	50					
0,75	2	3	4	7	1,00							0,23	FILL – silty fine to medium sand with organic materials and fine to medium gravel, gray.	
0	2	3/16	3	6/31	1,45							2,00	Fine sand, slightly silty, loose, yellowish brown to gray from 1.61 m onward. (Fluvio-lagoonal sediment)	
	2	2	3	5	2,46							3,00		
	2	2	3	5	3,45							3,45		
	2	3/18	2/12	5	4,00							4,00		
	2	3	3	6	4,45							4,45		
	2	3	3	6	5,00							5,00		
	3/17	3	3	6	5,45							5,45	Silty fine to medium sand, loose, gray. (Fluviolagoonal sediment)	
	3/16	3	3	6	6,00							6,00		
	3/16	3	4/18	7/33	6,47							6,47		
	3	4/18	3/12	7	7,00							7,00		
	3	4/18	3/12	7	7,49							7,49		
	2/18	2	2	4	8,00							8,00		
	2/18	2	2	4	8,45							8,45		
	2/18	2	2	4	9,00							9,00		
	2/25	1/12	1/09	2/21	9,48							9,48		
	2/25	1/12	1/09	2/21	10,00							10,00		
	2/22	1/09	2/20	3/29	10,46							10,46		
	2/22	1/09	2/20	3/29	11,00							11,00		
	2/22	1/09	2/20	3/29	11,51							11,51		
	1/25	1/18	1/13	2/31	12,00							12,00		
	1/25	1/18	1/13	2/31	12,56							12,56		
	1/30	1/20		1/20	13,00							13,00		
	1/30	1/20		1/20	13,50							13,50		
	1/28	1/17		1/17	14,00							14,00		
	1/28	1/17		1/17	14,45							14,45		
	1/31	1/20		1/20	15,00							15,00		
	1/31	1/20		1/20	15,51							15,51		
	1/36	1/18		1/18	16,00							16,00		
	1/36	1/18		1/18	16,54							16,54		
					16,90							16,90		
													CONTINUED...	

WATER LEVEL
 INITIAL: 1,68 m
 FINAL: 1,40 m
 CASING (m) : 11,80

ADVANCE: AUGER: 0,00 a 2,00m
 WASHING: 2,00 a 29,71m

